

MC V3.0 ET @ Kendrion

Summary

This application note describes the necessary steps to control a FAULHABER MC V 3.0 ET version using a Codesys based Kendrion Kuhnke PLC. The MC is connected via its EtherCAT port to the PLC.

Applies To

MC 5005 S ET, MC 5010 S ET, MC 5004 P ET and
MCS ET

Licensing

EtherCAT is a registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany.

Related FAULHABER Documents

Document	Description
Motion Manager 6	Instruction Manual for FAULHABER Motion Manager PC software
Quick start description	Description of the first steps for commissioning and operation of FAULHABER Motion Controllers
Drive functions	Description the operating modes and functions of the drive
Com Manual EtherCAT	Description of the EtherCAT services implemented in a FAULHABER MotionController



Description




This example shows the necessary steps for the implementation of a Faulhaber MC3 ET controller using a Kendrion Kuhnke PLC in a Codesys environment.




The “KICS Faulhaber MC.lib” is a standard MC Motion.lib with an adjusted mapping to the Faulhaber Motion Controller.



It is also possible to run the MC with another standard MC Motion lib and Codesys PLC Master. There might be differences regarding the mapping between the MC functionblocks and the MC.






Implementation of Faulhaber MC3.0 ET into CODESYS


Nr	Screenshot	Description
1		<ul style="list-style-type: none"> - Ensure that the latest Motion Manager version is installed - Create a new Codesys PLC standard project (for installation purpose of the devices) - “Install” PLC Master device description file, KICS library and all Faulhaber .xml Files <p>Depending on your PLC Master the device description file is available at Kendrion Kuhnke’s homepage.</p> <p>The KICS library is provided in the Support capture of the Faulhaber Homepage.</p> <p>Link to MoMan .xml Files: C:\ProgramFiles(x86)\Faulhaber\Motion Manager 6\ESI</p>
2		<ul style="list-style-type: none"> - Close the actual project - Create a new standard project - Choose FIO Controller as device

3		<ul style="list-style-type: none">- Open „Library Manager“- „Add Library“- Add the „KICS Faulhaber MC“ library																								
4	 <table><tr><th>Name</th><th>Vendor</th><th>Version</th><th>Description</th></tr><tr><td>EtherCAT Master</td><td>3S - Smart Software Solutions GmbH</td><td>3.5.8.0</td><td>EtherCAT Master...</td></tr><tr><td>EtherCAT Master</td><td>3S - Smart Software Solutions GmbH</td><td>3.5.11.0</td><td>EtherCAT Master...</td></tr><tr><td>EtherCAT Master</td><td>3S - Smart Software Solutions GmbH</td><td>3.5.11.10</td><td>EtherCAT Master...</td></tr><tr><td>EtherCAT Master SoftMotion</td><td>3S - Smart Software Solutions GmbH</td><td>3.5.11.0</td><td>EtherCAT Master SoftMo...</td></tr><tr><td>EtherCAT Master SoftMotion</td><td>3S - Smart Software Solutions GmbH</td><td>3.5.11.10</td><td>EtherCAT Master SoftMo...</td></tr></table>	Name	Vendor	Version	Description	EtherCAT Master	3S - Smart Software Solutions GmbH	3.5.8.0	EtherCAT Master...	EtherCAT Master	3S - Smart Software Solutions GmbH	3.5.11.0	EtherCAT Master...	EtherCAT Master	3S - Smart Software Solutions GmbH	3.5.11.10	EtherCAT Master...	EtherCAT Master SoftMotion	3S - Smart Software Solutions GmbH	3.5.11.0	EtherCAT Master SoftMo...	EtherCAT Master SoftMotion	3S - Smart Software Solutions GmbH	3.5.11.10	EtherCAT Master SoftMo...	<ul style="list-style-type: none">- Add EtherCAT Master by right clicking on “Device”<ul style="list-style-type: none">➔ “Add device”➔ EtherCAT Master (Version 3.5.8.0)
Name	Vendor	Version	Description																							
EtherCAT Master	3S - Smart Software Solutions GmbH	3.5.8.0	EtherCAT Master...																							
EtherCAT Master	3S - Smart Software Solutions GmbH	3.5.11.0	EtherCAT Master...																							
EtherCAT Master	3S - Smart Software Solutions GmbH	3.5.11.10	EtherCAT Master...																							
EtherCAT Master SoftMotion	3S - Smart Software Solutions GmbH	3.5.11.0	EtherCAT Master SoftMo...																							
EtherCAT Master SoftMotion	3S - Smart Software Solutions GmbH	3.5.11.10	EtherCAT Master SoftMo...																							
5		<ul style="list-style-type: none">- Build up da connection to the PLC<ul style="list-style-type: none">➔ Device➔ Scan Network																								

6		<ul style="list-style-type: none"> - Add Motion Controller by scanning for devices (right click on EtherCAT Master) - The PLC will add every EtherCAT device in the network automatically
7		<ul style="list-style-type: none"> - Select ENET2 MAC address
8		<ul style="list-style-type: none"> - Activate RxPDO1 & 2 - Activate TxPDO1 & 2

<p>9</p>		<ul style="list-style-type: none"> - Activate the expert view of MC Node <ul style="list-style-type: none"> ➔ General ➔ Enable Expert Settings - Change the mapping of the PDO's to the shown process data below.
<p>10</p>		<ul style="list-style-type: none"> - Add global variable list <ul style="list-style-type: none"> ➔ Right click on application ➔ "Add object" ➔ "global variable list"
	<pre> 1 {attribute 'qualified_only'} 2 VAR_GLOBAL 3 4 Mot1 : Axis_Ref ; 5 6 END_VAR </pre>	<ul style="list-style-type: none"> - Define axis reference structure <p>"Axis_Ref" structure is the reference structure of the MC Motion lib. Every used function block gets its information from the "Axis_Ref" structure.</p>

 <pre> 1 PROGRAM PLC_PRG 2 VAR 3 xInit: BOOL := FALSE; 4 nstate: INT; 5 6 END_VAR 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 </pre>	<ul style="list-style-type: none"> - Write PLC Main Program header like it is shown in the picture <p>The header is necessary for the initialization of EtherCAT Bus and the link between program and device.</p>
 <pre> 1 PROGRAM PLC_PRG 2 VAR 3 xInit: BOOL := FALSE; 4 nstate: INT; 5 6 fb_Power: MC_POWER; 7 fb_Lr: MC_MOVERELATIVE; 8 fb_Status: MC_READSTATUS; 9 10 END_VAR 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 </pre>	<ul style="list-style-type: none"> - Add MC_Power and MC_Moverelative instances for test run - Add Visualization <ul style="list-style-type: none"> ➔ Right click application ➔ "add object" ➔ "Visualization"
	<ul style="list-style-type: none"> - Add MC_Power, MC_MoveRelative and MC_ReadStatus Block from the toolbox to the visualization
	<ul style="list-style-type: none"> - Link the both motion blocks to the corresponding function blocks of the main program - Activate the configuration and switch to online state  <ul style="list-style-type: none"> - Start the Program

		
		Run the MC from the visualization

It is also possible to run the MC from the Main Program. Therefore take a look at the provided program example.

Rechtliche Hinweise

Urheberrechte. Alle Rechte vorbehalten. Ohne vorherige ausdrückliche schriftliche Genehmigung der Dr. Fritz Faulhaber & Co. KG darf insbesondere kein Teil dieser Application Note vervielfältigt, reproduziert, in einem Informationssystem gespeichert oder be- oder verarbeitet werden.

Gewerbliche Schutzrechte. Mit der Veröffentlichung der Application Note werden weder ausdrücklich noch konkludent Rechte an gewerblichen Schutzrechten, die mittelbar oder unmittelbar den beschriebenen Anwendungen und Funktionen der Application Note zugrunde liegen, übertragen noch Nutzungsrechte daran eingeräumt.

Kein Vertragsbestandteil; Unverbindlichkeit der Application Note. Die Application Note ist nicht Vertragsbestandteil von Verträgen, die die Dr. Fritz Faulhaber GmbH & Co. KG abschließt, soweit sich aus solchen Verträgen nicht etwas anderes ergibt. Die Application Note beschreibt unverbindlich ein mögliches Anwendungsbeispiel. Die Dr. Fritz Faulhaber GmbH & Co. KG übernimmt insbesondere keine Garantie dafür und steht insbesondere nicht dafür ein, dass die in der Application Note illustrierten Abläufe und Funktionen stets wie beschrieben aus- und durchgeführt werden können und dass die in der Application Note beschriebenen Abläufe und Funktionen in anderen Zusammenhängen und Umgebungen ohne zusätzliche Tests oder Modifikationen mit demselben Ergebnis umgesetzt werden können.

Keine Haftung. Die Dr. Fritz Faulhaber GmbH & Co. KG weist darauf hin, dass aufgrund der Unverbindlichkeit der Application Note keine Haftung für Schäden übernommen wird, die auf die Application Note zurückgehen.

Änderungen der Application Note. Änderungen der Application Note sind vorbehalten. Die jeweils aktuelle Version dieser Application Note erhalten Sie von Dr. Fritz Faulhaber GmbH & Co. KG unter der Telefonnummer +49 7031 638 688 oder per Mail von mcsupport@faulhaber.de.

Legal notices

Copyrights. All rights reserved. No part of this Application Note may be copied, reproduced, saved in an information system, altered or processed in any way without the express prior written consent of Dr. Fritz Faulhaber & Co. KG.

Industrial property rights. In publishing the Application Note Dr. Fritz Faulhaber & Co. KG does not expressly or implicitly grant any rights in industrial property rights on which the applications and functions of the Application Note described are directly or indirectly based nor does it transfer rights of use in such industrial property rights.

No part of contract; non-binding character of the Application Note. Unless otherwise stated the Application Note is not a constituent part of contracts concluded by Dr. Fritz Faulhaber & Co. KG. The Application Note is a non-binding description of a possible application. In particular Dr. Fritz Faulhaber & Co. KG does not guarantee and makes no representation that the processes and functions illustrated in the Application Note can always be executed and implemented as described and that they can be used in other contexts and environments with the same result without additional tests or modifications.

No liability. Owing to the non-binding character of the Application Note Dr. Fritz Faulhaber & Co. KG will not accept any liability for losses arising in connection with it.

Amendments to the Application Note. Dr. Fritz Faulhaber & Co. KG reserves the right to amend Application Notes. The current version of this Application Note may be obtained from Dr. Fritz Faulhaber & Co. KG by calling +49 7031 638 688 or sending an e-mail to mcsupport@faulhaber.de.